


## CONSTIX Swabs for Critical Environments



With more than thirty unique swabs available, Contec's **CONSTIX** swab line offers a solution to any swab application challenge.



## CONSTIX Swabs



With more than thirty unique foam, polyester and cotton swabs available, our **CONSTIX** swab line offers a solution to almost any swab

application challenge. Included are sealed foam swabs for general applications, sealed polyester swabs for applications requiring extreme cleanliness and durability, and ultrapure smooth cotton swabs for optics and other residue sensitive applications. Our ESD swabs are ideal for applications that are sensitive to electro-static discharge. Custom swab design and manufacture is also available for qualified applications.

- SF Series swabs feature 100 pore-per-inch sealed open-cell polyurethane foam that is soft yet strong.
- SP Series swabs are made of 100% synthetic fabrics and are available with knit, nonwoven, or microfibre heads. They have great durability and exceptionally low residue and particulate levels.

- SC Series swabs feature high quality Huby®-340 swabs made of long-staple cotton fibres with a methyl-cellulose binder for the tightest, smoothest, and cleanest cotton swabs available. Most SC Series swabs have dual heads for even greater utility.
- SV Series swabs have been additionally processed for use in evaluation of surface cleaning protocols in bio-pharmaceutical applications.
- ESD Series swabs feature handles that are truly static dissipative for quick removal of surface electro-static charges.

Every **CONSTIX** swab has been designed in different lengths, head sizes and materials to meet very specific customer needs. Most are compatible with a variety of solvents and solutions, and with such a wide variety of head and handle combinations, there is probably a standard **CONSTIX** Swab that is ideal for your specific need. If not, just let us know — we make custom swabs for unique applications that in time might even become one of the standard swabs shown here.

# CONSTIX Sealed Foam Swabs

Contec's CONSTIX SF Series sealed foam swabs have 100 PPI reticulated polyurethane foam heads for strength and abrasion resistance. This foam is excellent for particle entrapment and retention, making these swabs ideal for applying lubricants and removing excess materials. Compatible with Isopropyl Alcohol.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-1</b>	20.3mm	10.7mm	24.4mm	6.5mm	3.0mm	127mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-2</b>	15.7mm	10.7mm	25.4mm	6.5mm	3.0mm	127mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-3</b>	12.7mm	10.2mm	23.4mm	3.0mm	3.0mm	154mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-5</b>	6.4mm	5.6mm	15.2mm	3.0mm	3.0mm	163mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-6</b>	7.6mm	5.1mm	20.3mm	4.8mm	4.8mm	114mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-7</b>	5.1mm	5.1mm	12.7mm	4.8mm	4.8mm	107mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-9</b>	3.6mm	3.3mm	7.6mm	2.5mm	2.5mm	66mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-9A</b>	3.6mm	3.3mm	7.6mm	2.5mm	2.5mm	66mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-12</b>	4.1mm	4.1mm	10.2mm	2.5mm	2.5mm	71mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-13</b>	0.76mm	3.3mm	17.8mm	2.5mm	2.5mm	81mm	Glass/ Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-50</b>	12.7mm	10.3mm	24.6mm	5.2mm	2.9mm	103mm	Polypropylene	3,000 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-60</b>	13.0mm	9.4mm	25.4mm	3.8mm	3.8mm	102mm	Polypropylene	3,500 pcs/case



## CONSTIX Sealed Foam Over Cotton

Sealed Foam Over Cotton swabs are good for general cleaning in critical environments. They are ideal for customer applications that require more sorbency.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-11</b>	8.4mm	6.1mm	25.4mm	2.2mm	2.2mm	152mm	Wood	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-17</b>	6.4mm	6.4mm	19.1mm	2.2mm	2.2mm	152mm	Wood	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-19</b>	10.2mm	9.4mm	20.8mm	2.2mm	2.2mm	152mm	Wood	500 pcs/case



# CONSTIX Electrostatic Dissipative Swabs

CONSTIX Electrostatic Dissipative swabs are available with truly conductive handles for ESD sensitive applications.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SF-13ESD</b>	0.76mm	3.3mm	17.8mm	2.5mm	2.5mm	81mm	Conductive Acrylic	500 pcs/case



# CONSTIX Cotton Swabs

Made with the longest staple cotton fibres and a simple methyl-cellulose binder, Contec's SC Series Huby®-340 swabs provide very low levels of extractable residue, particles, and fibres. Unlike traditional cotton swabs, these swabs offer the most tightly wrapped heads of any cotton swab available anywhere. This results in cotton swabs that are appropriate for use in some of the most critical applications, including disk drive manufacturing and high-level optical surfaces.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SC-1</b>	4.7mm	4.7mm	11mm	2.5mm	2.5mm	81mm	Fine Paper	3,750 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SC-2</b>	4.4mm	4.4mm	15mm	2.5mm	2.5mm	78mm	Fine Paper	3,750 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SC-3</b>	2.5mm	2.5mm	13.5mm	1.5mm	1.5mm	76mm	Fine Paper	5,000 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SC-4</b>	2.2mm	2.2mm	8.0mm	1.5mm	1.5mm	76mm	Fine Paper	5,000 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SC-7</b>	3.0mm	3.0mm	11mm	1.5mm	1.5mm	79mm	Fine Paper	5,000 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SC-9</b>	4.7mm	4.7mm	15mm	2.3mm	2.3mm	150mm	Wood	2,000 pcs/case



## CONSTIX Sealed Polyester Swabs

Contec's SP Series swabs have several head options including laundered polyester, nonwoven polyester, and microfibre polyester. They have exceptionally low residue and particulate levels. These swabs are the best options for use with harsh solvents such as acetone, nitric and sulfuric acids.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-1</b> Knit	5.1mm	5.1mm	20.3mm	3.0mm	3.0mm	152mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-3</b> Knit	9.9mm	2.8mm	27.4mm	3.0mm	3.0mm	152mm	Polypropylene	50 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-6</b> Knit	6.9mm	2.8mm	15.8mm	3.2mm	3.2mm	164mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-6M</b> Microfibre	6.4mm	2.8mm	17mm	3.2mm	3.2mm	164mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-6N</b> Nonwoven	6.9mm	2.5mm	16.3mm	3.0mm	3.0mm	163mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-8</b> Knit	12.2mm	3.4mm	23.1mm	5.7mm	2.5mm	124mm	Polypropylene	100 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-8M</b> Microfibre	12.2mm	3.1mm	23.1mm	5.7mm	2.5mm	124mm	Polypropylene	100 pcs/case





Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-9</b> Knit	3.9mm	2.5mm	10.7mm	2.3mm	2.3mm	70mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-10</b> Knit	3.3mm	2.3mm	11.1mm	2.3mm	2.3mm	70mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-10M</b> Microfibre	3.4mm	2.2mm	10.8mm	2.3mm	2.3mm	70mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-10N</b> Nonwoven	3.3mm	1.7mm	10.8mm	2.3mm	2.3mm	70mm	Polypropylene	500 pcs/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SP-11</b> Knit	3.4mm	2.5mm	9.8mm	2.3mm	2.3mm	69mm	Polypropylene	500 pcs/case



## CONSTIX Surface Validation Swabs

Designed for the evaluation of surface cleaning protocols in bio-pharmaceutical industries, our SV Series swabs are made of Polynit polyester fabric that undergoes a proprietary process to reduce Total Organic Carbon levels. For added convenience, CONSTIX Surface Validation Swabs are packaged with only five swabs per autoclavable nylon pouch.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SV-2</b>	6.3mm	6.3mm	20.3mm	3.0mm	3.0mm	140mm	Polypropylene	5 pcs/pouch



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
<b>SV-3</b>	12.2mm	3.6mm	23.1mm	5.7mm	2.5mm	124mm	Polypropylene	5 pcs/pouch





Contec® cleaning and disinfecting products are available throughout the world. Sales representatives are conveniently located across Europe, Asia and North and South America. Please visit [www.contecinc.com](http://www.contecinc.com) to find a sales representative in your area and to learn more about our products for critical environments.

Presaturated Wipes  
Mopping Systems  
Disinfectants

Spill Control Products  
Knitted Wipes  
Sterile Products

Sponges  
Nonwoven Wipes  
Swabs

EUROPE

**Contec Europe**

ZI du Prat - RP 3707  
56037 VANNES Cedex  
FRANCE

Tel: +33(0) 2 97 43 76 98

NORTH AMERICA

**Contec, Inc.**

525 Locust Grove  
Spartanburg, SC 29303 USA

Tel: +1 (864) 503-8333  
Fax: +1 (864) 503-8444

ASIA

**Contec Cleanroom  
Technology (Suzhou) Co. Ltd.**

17 Longyun Road  
Suzhou Industrial park  
Suzhou 215026  
China

Tel: +86-512-6274 4050  
Fax: +86-512-6274 4051

[www.contecinc.com](http://www.contecinc.com)

*Contec is an ISO registered company. Please visit our web site to view our most current certification.*

*CONSTIX and Polynit are trademarks of Contec, Inc.*